

## Refine Search

### Search Results -

Terms	Documents
(719/321  719/322  719/323  719/324  719/325  719/326  719/327  719/328).ccls. and L87	5

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L89

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Friday, April 27, 2007    [Purge Queries](#)    [Printable Copy](#)    [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L89</u>	(719/321  719/322  719/323  719/324  719/325  719/326  719/327  719/328).ccls. and L87	5	<u>L89</u>
<u>L88</u>	driver near initializ\$3 and L87	0	<u>L88</u>
<u>L87</u>	device adj control adj block	441	<u>L87</u>
	<i>DB=TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR</i>		
<u>L86</u>	LEE-HYONG-KYUN!	2	<u>L86</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L85</u>	L39 and L84	21	<u>L85</u>
<u>L84</u>	L74 and L83	129	<u>L84</u>
<u>L83</u>	L79 or L80 or L81 or L82	10446	<u>L83</u>
<u>L82</u>	(719/328).ccls.	1314	<u>L82</u>
<u>L81</u>	(713/1  713/2  713/100).ccls.	4452	<u>L81</u>
<u>L80</u>	(710/3  710/4  710/5  710/6  710/7  710/8  710/9  710/10).ccls.	4420	<u>L80</u>

<u>L79</u>	(719/321  719/322  719/323  719/324  719/325  719/326  719/327).ccls.	1027	<u>L79</u>
<u>L78</u>	L76 and L74	45	<u>L78</u>
<u>L77</u>	L72 and L76	0	<u>L77</u>
<u>L76</u>	handle near (device or instrument)	29378	<u>L76</u>
<u>L75</u>	L72 and L74	0	<u>L75</u>
<u>L74</u>	chang\$3 near driver	5715	<u>L74</u>
<u>L73</u>	driver near initializ\$4 and L72	0	<u>L73</u>
<u>L72</u>	vary\$3 near pointer	160	<u>L72</u>
<u>L71</u>	vary\$3 near pointer with driver	0	<u>L71</u>
<u>L70</u>	chang\$3 near (first or second) near driver	40	<u>L70</u>
<u>L69</u>	vary\$3 near address with pointer	12	<u>L69</u>
<u>L68</u>	pointer with driver near chang\$3	20	<u>L68</u>
<u>L67</u>	initializ\$4 near device and L66	58	<u>L67</u>
<u>L66</u>	unsigned near integer and driver	837	<u>L66</u>
<u>L65</u>	unsigned near integer with driver	1	<u>L65</u>
<u>L64</u>	unsigned near integer with ((device or handler) near (id or identifier))	7	<u>L64</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L63</u>	US-5909592-A.did.	1	<u>L63</u>
<u>L62</u>	US-5909592-A.did.	1	<u>L62</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L61</u>	(application or program or system) near (call or request or commands) with ((device or handler) near (id or identifier))	82	<u>L61</u>
<u>L60</u>	(device near initializ\$5) with ((device or handler) near (id or identifier))	60	<u>L60</u>
<u>L59</u>	L56 and L58	40	<u>L59</u>
<u>L58</u>	(device or handler) near (identifier or id)	22216	<u>L58</u>
<u>L57</u>	device near handler near (identifier or id)	1	<u>L57</u>
<u>L56</u>	((translat\$3 or conver\$5) near commands) with driver	658	<u>L56</u>
<u>L55</u>	@pd<20020808 and L54	143	<u>L55</u>
<u>L54</u>	((translat\$3 or conver\$5) near (calls or request)) with driver	337	<u>L54</u>
<u>L53</u>	access\$3 near indirect\$3 with driver	10	<u>L53</u>
<u>L52</u>	(call or request) with indirect\$3 near driver	2	<u>L52</u>
<u>L51</u>	@pd<20020808 and L43	21	<u>L51</u>
<u>L50</u>	@pd<20020808 and L49	1	<u>L50</u>
<u>L49</u>	control near command and L48	9	<u>L49</u>
<u>L48</u>	indirect\$3 near driver	124	<u>L48</u>
<u>L47</u>	calls near indirect\$3 with driver	10	<u>L47</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L46</u>	'5680620'.pn.	1	<u>L46</u>
<u>L45</u>	'5784615'.pn.	1	<u>L45</u>
<u>L44</u>	'5874960'.pn.	1	<u>L44</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L43</u>	generic near interface with driver	88	<u>L43</u>

<u>L42</u>	L39 and L41	140	<u>L42</u>
<u>L41</u>	((conver\$4 or translat\$3) near (request or command or call))	25134	<u>L41</u>
<u>L40</u>	L38 and L39	8	<u>L40</u>
<u>L39</u>	((abstract\$3 or transparen\$2 or dll or librar\$3 or generic\$4 or api) near driver)	1945	<u>L39</u>
<u>L38</u>	((conver\$4 or translat\$3) near application near (request or command or call))	259	<u>L38</u>
<u>L37</u>	(driver or device) near initializ\$4 and L36	5	<u>L37</u>
<u>L36</u>	level near (1 or 2) with initializ\$4	248	<u>L36</u>
<u>L35</u>	level near (1 or 2) with initiatization	0	<u>L35</u>
<u>L34</u>	level near 2 near initiatization	0	<u>L34</u>
<u>L33</u>	(pointer or handle) near device adj control adj block	4	<u>L33</u>
<u>L32</u>	L30 and L31	56	<u>L32</u>
<u>L31</u>	(configuration or ini or initializ\$4) near (data or file)	59808	<u>L31</u>
<u>L30</u>	device adj control adj block	441	<u>L30</u>
<u>L29</u>	L24 and L28	0	<u>L29</u>
<u>L28</u>	L25 and L27	45	<u>L28</u>
<u>L27</u>	(reset or write or read) near pointer	10675	<u>L27</u>
<u>L26</u>	L24 and L25	0	<u>L26</u>
<u>L25</u>	(open or close) near channel	48900	<u>L25</u>
<u>L24</u>	control near block with (configuration or ini or initializ\$4) near (data or file)	138	<u>L24</u>
<u>L23</u>	control near block with (handler or pointer) near (configuration or ini or initializ\$4) near (data or file)	4	<u>L23</u>
<u>L22</u>	L9 and L21	4	<u>L22</u>
<u>L21</u>	pointer with ((device or driver) near table)	112	<u>L21</u>
<u>L20</u>	pointer with ((command near control) near table)	4	<u>L20</u>
<u>L19</u>	pointer near ((command near control) near table)	1	<u>L19</u>
<u>L18</u>	L11 and L17	1	<u>L18</u>
<u>L17</u>	pointer near ((command or control) near table)	92	<u>L17</u>
<u>L16</u>	((device or driver) near table with (command near (table or id or identifier)))	29	<u>L16</u>
<u>L15</u>	function near pointer and command near (id or identifier)	44	<u>L15</u>
<u>L14</u>	L9 and L13	6	<u>L14</u>
<u>L13</u>	((command or control) near table) with driver	261	<u>L13</u>
<u>L12</u>	L4 and L11	59	<u>L12</u>
<u>L11</u>	(device or driver) near table	12335	<u>L11</u>
<u>L10</u>	L4 and L9	72	<u>L10</u>
<u>L9</u>	command near (id or identifier)	3752	<u>L9</u>
<u>L8</u>	L4 and L7	1	<u>L8</u>
<u>L7</u>	pointer with ((ini or initializ\$4) near file)	57	<u>L7</u>
<u>L6</u>	pointer with ((ini or initializ\$4) near file)	57	<u>L6</u>

<u>L5</u> pointer near ((ini or initializ\$4) near file)	17	<u>L5</u>
<u>L4</u> pointer with ((command or control) near table)	679	<u>L4</u>
<i>DB=TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR</i>		
<u>L3</u> LEE-HYONG-KYUN!	2	<u>L3</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L2</u> 6282586.pn.	2	<u>L2</u>
<i>DB=JPAB; PLUR=YES; OP=OR</i>		
<u>L1</u> 8272717	0	<u>L1</u>

END OF SEARCH HISTORY